# SKY-QUAD-A1000-8 SKY-QUAD-A400-4

## NVIDIA RTX A1000

### **NVIDIA RTX A400**



#### **Features**

- NVIDIA Ampere GPU architecture
- Third-generation Tensor Cores
- Second-generation RT cores
- GDDR6 memory
- AV1 Decode Support
- Max. power consumption: 50W
- Graphics bus: PCI-E 4.0 x8
- Thermal solution: Active
- Display connectors: mDP 1.4a

## Introduction

With cutting-edge features and a compact form factor, the NVIDIA RTX A1000 and A400 represents NVIDIA's latest\_ntry-level professional GPU. Built on the NVIDIA Ampere GPU architecture, this low-profile package is ideal for deployment in a wide range of small form factor workstation. The e cards are equipped with the latest generation RT cores, Tensor cores, enabling generative AI, graphics, compute performance, and immersive entertainment design. Cert<sup>ified</sup>, v a wide range of specialist applications, tested by dominant independent software vendors (ISVs) and workstation manufacturers, and supported by a global specialist team of "IDIA", TX is the first choice for high-standard visual computing solutions in enterprise deployments.

## **Specifications**

Product Name	NVIDIA RTX A1000	NVIDIA RTX A400
Part Number	SKY-QUAD-A1000-8	SKY-QUAD-A400-4
GPU Memory	8GB GDDR6	4GB GDDR6
Memory Interface	128-bit	64-bit
Memory Bandwidth	192 GB/s	96 GB/s
NVIDIA CUDA Cores	2,304	768
Tensor Cores	72 (, <sup>,,,,</sup> , gen,	24 (3 <sup>rd</sup> gen)
RT Cores	18 (2 <sup>nd</sup> y)	6 (2 <sup>nd</sup> gen)
Single-Precision Performance	6.7 TELOPS	2.7 TFLOPS
System Interface	NCI Express 4.0 x8	PCI Express 4.0 x8
Max Power Consumption	50W	50W
Thermal Solution	Active	Active
Form Factor	2.7 inches (H) x 6.4 inches (L), single slot, low profile	2.7 inches (H) x 6.4 inches (L), single slot, low profile
Display Connectors	4x Mini DisplayPort 1.4a with latching mechanism	4x Mini DisplayPort 1.4a with latching mechanism
Max Simultaneous Displays	4x 4096 x 2160 @ 120 Hz 4x 5120 x 2880 @ 60 Hz 2x 7680 x 4320 @ 30 Hz	4x 4096 x 2160 @ 120 Hz 4x 5120 x 2880 @ 60 Hz 2x 7680 x 4320 @ 30 Hz
Graphics APIs	DirectX 12 Shader Model 6.6 OpenGL 4.6 Vulkan 1.3	DirectX 12 Shader Model 6.6 OpenGL 4.6 Vulkan 1.3
Compute APIs	CUDA, DirectCompute, OpenCL™	CUDA, DirectCompute, OpenCL™
Power Connector	-	-
Power Adapter Cable Included	-	-
Power Adapter Interface	-	-