

ARES-2 Series

Adjustable table stands for industrial applications

ARES-2423X




VESA 100x100 mm / 75x75 mm **MAX** ~13 kg Color Options:

Specifications

Net Weight	1.40 kg (3.09lbs)	
Dimension (W x H x D)	203 x 225 x 227 mm (7.99" x 8.86" x 8.94")	
Screw Type	M4	
Material	Steel/Aluminum/Plastic	
Hinge Module	Swivel	N/A
	Tilt	-2° (down) ~ +180° (up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 17"
	Support Max. Weight	13kg(28.7lbs)
Cable Management	Yes	

Ordering Information

Part No.	Color	Product Description
ARES-2423X-S151000	White	Table Stand, support ≤ 17", max. support 13 kg, 75 x 75 / 100 x100 mm
ARES-2423X-S151001	Black	Table Stand, support ≤ 17", max. support 13 kg, 75 x 75 / 100 x100 mm



ARES-2424X




VESA 100x100 mm / 75x75 mm **MAX** ~5 kg Color Options:

Specifications

Net Weight	1.54 Kg (3.40 lbs)	
Dimension (W x H x D)	203 x 275 x 227mm (8" x 10.83" x 8.94")	
Screw Type	M4	
Material	Steel/Aluminum Alloy/Plastic	
Hinge Module	Swivel	N/A
	Tilt	-2° (down) ~ +180° (up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 21.5"
	Support Max. Weight	15kg (33.07 lbs)
Cable Management	Yes	

Ordering Information

Part No.	Color	Product Description
ARES-2424X-S170200	White	Table Stand, support ≤ 21.5", max. support 15 kg, 75 x 75 / 100 x100 mm
ARES-2424X-S170201	Black	Table Stand, support ≤ 21.5", max. support 15 kg, 75 x 75 / 100 x100 mm



ARES-2 Series

Adjustable table stands for industrial applications

ARES-2425X



Specifications


Net Weight	2.14 Kg (4.72 lbs)	
Dimension (W x H x D)	241 x 340 x 280 mm (9.49" x 13.39" x 11.02")	
Screw Type	M4	
Material	Steel/Aluminum Alloy/Plastic	
Hinge Module	Swivel	N/A
	Tilt	-2°(down) ~ +180°(up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 27"
	Support Max. Weight	20kg (44.09lbs)
Cable Management	Yes	

Ordering Information

Part No.	Color	Product Description
ARES-2425X-S271000	White	Table Stand, support ≤ 27", max. support 20 kg, 75 x 75 / 100 x 100 mm
ARES-2425X-S271001	Black	Table Stand, support ≤ 27", max. support 20 kg, 75 x 75 / 100 x 100 mm

Dimensions

Unit: mm



ARES-2423R



Specifications


Net Weight	3.12 Kg (6.88lbs)	
Dimension (W x H x D)	222 x 432 x 252 mm (8.74" x 17.01" x 9.92")	
Screw Type	M4	
Material	Steel/Plastic/Aluminum	
Hinge Module	Swivel (Hinge)	360°
	Tilt (Hinge)	-5° ~ +25°
	Pivot	360°
	User Torque Adjust	Available
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 27"
	Thickness	≤ 8.5cm
Support Weight (Range)	Curved panel support weight (range)	6-12Kg (13.23-26.46 lbs)
	Support Weight (Range)	≤ 5.5Kg (12.13lbs)
Height Adjust	Height Adjustment Range	130mm (5.12")
	Tension Torque Adjust	Yes
Cable Management	Yes	

Ordering Information

Part No.	Color	Product Description
ARES-2423R-A741L00	White	Table Stand, support ≤ 27", 6 ~ 12 kg, 75 x 75 / 100 x 100 mm
ARES-2423R-A741L01	Black	Table Stand, support ≤ 27", 6 ~ 12 kg, 75 x 75 / 100 x 100 mm

Dimensions

Unit: mm



ARES-2 Series

Adjustable table stands for industrial applications

ARES-24R3G Patented VESA Bracket

ARES-2421R



VESA 100x100 mm / 75x75 mm **MAX** 6~12 kg Color Options:



VESA 100x100 mm / 75x75 mm **MAX** 2~8 kg Color Options:

Specifications

Net Weight	3.15kg	
Dimension (W x H x D)	222 x 434 x 252 mm (8.74" x 17.09" x 9.92")	
Screw Type	M4	
Material	Steel/Plastic/Aluminum	
Hinge Module	Swivel (Hinge)	360°
	Tilt (Hinge)	-5° ~ +25°
	Pivot	360°
	User Torque Adjust	Available
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 27"
	Thickness	≤ 8.5cm
	Support Weight (Range)	6~12Kg (13.23~26.46 lbs)
Height Adjust	Curved panel support weight (range)	≤ 5.5Kg (12.13lbs)
	Height Adjustment Range	130mm (5.12")
Cable Management	Tension Torque Adjust	Yes
		Yes

Specifications



Net Weight	3.12 Kg (6.88lbs)	
Dimension (W x H x D)	222 x 432 x 252 mm (8.74" x 17.01" x 9.92")	
Screw Type	M4	
Material	Steel/Plastic/Aluminum	
Hinge Module	Swivel (Hinge)	360°
	Tilt (Hinge)	-5° ~ +25°
	Pivot	360°
	User Torque Adjust	Available
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 27"
	Thickness	≤ 8.5cm
	Support Weight (Range)	2~8Kg (4.41~17.64 lbs)
Height Adjust	Curved panel support weight (range)	≤ 5.5Kg (12.13lbs)
	Height Adjustment Range	130mm (5.12")
Cable Management	Tension Torque Adjust	Yes
		Yes

Ordering Information

Part No.	Color	Product Description
ARES-24R3G-A741L00	White	Table Stand, with enhanced VESA bracket, support 27", 6 ~ 12 kg, 75 x 75 / 100 x 100 mm

Ordering Information

Part No.	Color	Product Description
ARES-2421R-HA74100	White	Table Stand, support ≤ 27", 2 ~ 8 kg, 75 x 75 / 100 x 100 mm



ARES-2 Series

Adjustable table stands for industrial applications

ARES-2423S



VESA 100x100 mm / 75x75 mm MAX 4~12 kg Color Options:


Specifications

Net Weight	4Kg (8.82lbs)	
Dimension (W x H x D)	300 x 478 x 250 mm (11.81" x 18.82" x 9.84")	
Screw Type	M4	
Material	Steel/Plastic/Aluminum	
Hinge Module	Swivel	360°
	Tilt	-5° ~ +20°
	Pivot	360°
	User Torque Adjust	Available
	Mounting Pattern	100x100 / 75x75 mm
Display Support	Display Type	Single Monitor
	Panel Size Support	21.5" ~ 34"
	Support Weight (Range)	4~12Kg (8.82~26.46lbs)
	Thickness	≤ 8.5cm
	Curved Panel size support	≤ 34"
	Curved panel support weight (range)	≤ 8Kg (17.64lbs)
	Height Adjust	Height Adjustment Range: 130mm (5.12") Tension Torque Adjust: Yes
Cable Management	Yes	

Ordering Information

Part No.	Color	Product Description
ARES-2423S-A770L00	White	Table Stand, support 21.5" ~ 34", 4 ~ 12 kg, 75 x 75 / 100 x 100 mm
ARES-2423S-A770L01	Black	Table Stand, support 21.5" ~ 34", 4 ~ 12 kg, 75 x 75 / 100 x 100 mm

Dimensions



Compatible Table



Get the latest version [HERE](#)

Model Name	ARES-2425X		ARES-2423R		ARES-2421R		ARES-2423S		
Part Number	ARES-2425X-S271000	ARES-2425X-S271001	ARES-2423R-A741L00	ARES-2423R-A741L01	ARES-2421R-HA74100	ARES-2423S-A770L00	ARES-2423S-A770L01		
Photo									
Max. support weight	~ 20kg		~ 20kg		6 - 12kg		2 - 8kg		
Max. support panel size	≤ 27"		≤ 27"		≤ 27"		21.5" ~ 34"		
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm
FPM-212	12.1"	3.2	75 x 75	-	-	-	-	-	Yes
FPM-215	15"	4.6	75 x 75	-	-	-	-	-	Yes
FPM-217	17"	5.4	75 x 75	-	-	-	-	-	Yes
FPM-219	19"	6.2	75 x 75	-	-	-	-	-	Yes
FPM-3121G	12.1"	4.07	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-3151G	15"	7.73	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-3171G	17"	9.25	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-3191G	19"	10.65	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-5151G	15"	6	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-5171G	17"	7	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-5191G	19"	9	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-7151T	15"	4.2	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-7151W	15.6"	4.2	75 x 75 100 x 100	-	-	-	-	-	Yes
FPM-715	15"	4.6	75 x 75	-	-	-	-	-	Yes
FPM-715W	15.6"	4	75 x 75	-	-	-	-	-	Yes
FPM-717	17"	5.4	75 x 75	-	-	-	-	-	Yes
FPM-7181W	18.5"	6	100 x 100	-	-	-	-	-	Yes
FPM-719	19"	6.2	75 x 75	-	-	-	-	-	Yes
FPM-7211W	21.5"	8	100 x 100	-	-	-	-	-	Yes
FPM-815S	15"	7.73	100 x 100	-	-	-	-	-	Yes
FPM-817S	17"	7.73	100 x 100	-	-	-	-	-	Yes
FPM-8151H	15"	8.3	75 x 75 100 x 100	-	-	-	-	-	Yes
HIT-507	7"	1.2	75 x 75	Yes	Yes	-	-	-	-
HIT-512	11.6"	1.5	75 x 75	Yes	Yes	-	-	-	-
HIT-W101L	10.1"	1.4	75 x 75	Yes	Yes	-	-	-	-
HIT-W153	15.6"	4.7	75 x 75 100 x 100	Yes	Yes	-	Yes	-	-
HIT-W183	18.5"	5.94	75 x 75 100 x 100	Yes	Yes	-	Yes	-	-
IPPC-5211WS	21.5"	15.8	100 x 100	Yes	Yes	-	-	-	-
PAX-121	21.5"	5.5	75 x 75 100 x 100	Yes	Yes	-	Yes	Yes	Yes
PAX-124	23.8"	6.98	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
PAX-324	24"	7.6	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
PAX-327	27"	10.36	75 x 75 100 x 100	Yes	Yes	Yes	-	Yes	Yes
PAX-332	32"	12.5	75 x 75 100 x 100	-	-	-	-	Yes	Yes
PAX-355	55"	55	600x400	-	-	-	-	-	-
POC-421	21.5"	6.29	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-424	23.8"	7.78	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-615	15.6"	4.89	75 x 75 100 x 100	Yes	Yes	-	Yes	-	-

Compatible Table







Get the latest version [HERE](#)

Model Name	ARES-2425X		ARES-2423R		ARES-2421R		ARES-2423S		
Part Number	ARES-2425X-S271000	ARES-2425X-S271001	ARES-2423R-A741L00	ARES-2423R-A741L01	ARES-2421R-HA74100	ARES-2423S-A770L00	ARES-2423S-A770L01		
Photo									
Max. support weight	~ 20kg		~ 20kg		6 - 12kg		2 - 8kg		
Max. support panel size	≤ 27"		≤ 27"		≤ 27"		21.5" ~ 34"		
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm
POC-621	21.5"	6.29	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-624	23.8"	7.78	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-821	21.5"	7	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-824	23.8"	8	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
SPC-221	21.5"	9	100 x 100	-	-	-	-	-	Yes
SPC-515	15"	10	100 x 100	-	-	-	-	-	Yes
SPC-815 (VESA mounting kit: 9653800M020, Optional)	15.6"	8.2	100 x 100	-	-	-	-	-	Yes
SPC-821 (VESA mounting kit: 9653800M020, Optional)	21.5"	10.6	100 x 100	-	-	-	-	-	Yes
TPC-1251T	12"	3.12	100 x 100	-	-	-	-	-	Yes
TPC-1551T	15"	4.4	100 x 100	-	-	-	-	-	Yes
TPC-1751T	17"	5.1	100 x 100	-	-	-	-	-	Yes
TPC-312 WHL	12.1"	4.1	100 x 100	-	-	-	-	-	Yes
TPC-315 WHL	15"	5.8	100 x 100	-	-	-	-	-	Yes
TPC-317 WHL	17"	6.1	100 x 100	-	-	-	-	-	Yes
TPC-324W WHL	23.8"	9.3	100 x 100	-	-	-	-	-	Yes
TPC-312 EHL	12"	4.1	100 x 100	-	-	-	-	-	Yes
TPC-315 EHL	15"	5.8	100 x 100	-	-	-	-	-	Yes
TPC-324W EHL	23.8"	9.3	100 x 100	-	-	-	-	-	Yes
TPC-107W	7"	2	100 x 100	-	-	-	-	-	Yes
TPC-110W	10.1"	3.9	100 x 100	-	-	-	-	-	Yes
TPC-115W	15.6"	6.5	100 x 100	-	-	-	-	-	Yes
USC-130	11.6"	2	75 x 75	Yes	Yes	-	-	Yes	-
USC-160	15.6"	3	75 x 75	Yes	Yes	-	-	Yes	-
USC-250	15"	5.1	75 x 75	Yes	Yes	-	-	Yes	-
USC-M3	11.6"	2	75 x 75	Yes	Yes	-	-	Yes	-
USC-M6	15.6"	3	75 x 75	Yes	Yes	-	-	Yes	-
UTC-115	15.6"	2.4	100 x 100	Yes	Yes	-	-	Yes	-
UTC-120	21.5"	5.29	100 x 100	Yes	Yes	-	-	Yes	Yes
UTC-307	7"	0.95	75 x 75	-	-	-	-	-	-
UTC-310	10.1"	1.12	75 x 75	Yes	Yes	-	-	-	-
UTC-315	15.6"	<4	75 x 75	Yes	Yes	-	-	Yes	-
UTC-318	18.5"	5	100 x 100	Yes	Yes	-	-	Yes	-
UTC-320	21.5"	6.5	100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
UTC-510	10.1"	1.8	75 x 75	-	-	-	-	-	-
UTC-515	15.6"	4.85	100 x 100	Yes	Yes	-	-	Yes	-
UTC-520	21.5"	8	100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
UTC-532	31.5"	18	100 x 100	-	-	-	-	-	-
UTC-542	42.5"	24.6	100 x 100	-	-	-	-	-	-
UTC-723	31.5"	38	200 x 200	-	-	-	-	-	-
UTK-615AP	15.6"	5	100 x 100	Yes	Yes	-	-	Yes	Yes
UTK-615DP	15.6"	5	100 x 100	Yes	Yes	-	-	Yes	Yes
UTK-6023	23.8"	38	200 x 200	-	-	-	-	-	-
UTK-6031	31.5"	40	200 x 200	-	-	-	-	-	-

Compatible Table



Get the latest version [HERE](#)

Model Name				ARES-2423X		ARES-2424X	
Part Number				ARES-2423X-S151000	ARES-2423X-S151001	ARES-2424X-S170200	ARES-2424X-S170201
Photo							
Max. support weight				~ 13kg	~ 13kg	~ 15kg	~ 15kg
Max. support panel size				≤ 17"	≤ 17"	≤ 21.5"	≤ 21.5"
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm
FPM-212	12.1"	3.2	75 x 75	-	-	-	-
FPM-215	15"	4.6	75 x 75	-	-	-	-
FPM-217	17"	5.4	75 x 75	-	-	-	-
FPM-219	19"	6.2	75 x 75	-	-	-	-
FPM-3121G	12.1"	4.07	75 x 75 100 x 100	-	-	-	-
FPM-3151G	15"	7.73	75 x 75 100 x 100	-	-	-	-
FPM-3171G	17"	9.25	75 x 75 100 x 100	-	-	-	-
FPM-3191G	19"	10.65	75 x 75 100 x 100	-	-	-	-
FPM-5151G	15"	6	75 x 75 100 x 100	-	-	-	-
FPM-5171G	17"	7	75 x 75 100 x 100	-	-	-	-
FPM-5191G	19"	9	75 x 75 100 x 100	-	-	-	-
FPM-7151T	15"	4.2	75 x 75 100 x 100	-	-	-	-
FPM-7151W	15.6"	4.2	75 x 75 100 x 100	-	-	-	-
FPM-715	15"	4.6	75 x 75	-	-	-	-
FPM-715W	15.6"	4	75 x 75	-	-	-	-
FPM-717	17"	5.4	75 x 75	-	-	-	-
FPM-7181W	18.5"	6	100 x 100	-	-	-	-
FPM-719	19"	6.2	75 x 75	-	-	-	-
FPM-7211W	21.5"	8	100 x 100	-	-	-	-
FPM-815S	15"	7.73	100 x 100	-	-	-	-
FPM-817S	17"	7.73	100 x 100	-	-	-	-
FPM-8151H	15"	8.5	75 x 75 100 x 100	-	-	-	-
HIT-507	7"	1.2	75 x 75	-	-	Yes	Yes
HIT-512	11.6"	1.5	75 x 75	Yes	Yes	Yes	Yes
HIT-W101L	10.1"	1.4	75 x 75	Yes	Yes	Yes	Yes
HIT-W153	15.6"	4.7	75 x 75 100 x 100	Yes	Yes	Yes	Yes
HIT-W183	18.5"	5.94	75 x 75 100 x 100	-	-	Yes	Yes
IPPC-5211WS	21.5"	15.8	100 x 100	-	-	-	-
PAX-121	21.5"	5.5	75 x 75 100 x 100	-	-	Yes	Yes
PAX-124	23.8"	6.98	75 x 75 100 x 100	-	-	-	-
PAX-324	24"	7.6	75 x 75 100 x 100	-	-	-	-
PAX-327	27"	10.36	75 x 75 100 x 100	-	-	-	-
PAX-332	32"	12.5	75 x 75 100 x 100	-	-	-	-
PAX-355	55"	55	600x400	-	-	-	-
POC-421	21.5"	6.29	75 x 75 100 x 100	-	-	Yes	Yes
POC-424	23.8"	7.78	75 x 75 100 x 100	-	-	-	-
POC-615	15.6"	4.89	75 x 75 100 x 100	Yes	Yes	Yes	Yes

Compatible Table




Get the latest version [HERE](#)


Model Name	ARES-2423X				ARES-2424X			
Part Number	ARES-2423X-S151000		ARES-2423X-S151001		ARES-2424X-S170200		ARES-2424X-S170201	
Photo								
Max. support weight	~ 13kg		~ 13kg		~ 15kg		~ 15kg	
Max. support panel size	≤ 17"		≤ 17"		≤ 21.5"		≤ 21.5"	
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm
POC-621	21.5"	6.29	75 x 75 100 x 100	-	-	Yes	-	Yes
POC-624	23.8"	7.78	75 x 75 100 x 100	-	-	-	-	-
POC-821	21.5"	7	75 x 75 100 x 100	-	-	Yes	-	Yes
POC-824	23.8"	8	75 x 75 100 x 100	-	-	-	-	-
SPC-221	21.5"	9	100 x 100	-	-	-	-	-
SPC-515	15"	10	100 x 100	-	-	-	-	-
SPC-815 (VESA mounting kit: 9653800M020, Optional)	15.6"	8.2	100 x 100	-	-	-	-	-
SPC-821 (VESA mounting kit: 9653800M020, Optional)	21.5"	10.6	100 x 100	-	-	-	-	-
TPC-1251T	12"	3.12	100 x 100	-	-	-	-	-
TPC-1551T	15"	4.4	100 x 100	-	-	-	-	-
TPC-1751T	17"	5.1	100 x 100	-	-	-	-	-
TPC-312 WHL	12.1"	4.1	100 x 100	-	-	-	-	-
TPC-315 WHL	15"	5.8	100 x 100	-	-	-	-	-
TPC-317 WHL	17"	6.1	100 x 100	-	-	-	-	-
TPC-324W WHL	23.8"	9.3	100 x 100	-	-	-	-	-
TPC-312 EHL	12"	4.1	100 x 100	-	-	-	-	-
TPC-315 EHL	15"	5.8	100 x 100	-	-	-	-	-
TPC-324W EHL	23.8"	9.3	100 x 100	-	-	-	-	-
TPC-107W	7"	2	100 x 100	-	-	-	-	-
TPC-110W	10.1"	3.9	100 x 100	-	-	-	-	-
TPC-115W	15.6"	6.9	100 x 100	-	-	-	-	-
USC-130	11.6"	2	75 x 75	Yes	Yes	Yes	Yes	Yes
USC-160	15.6"	3	75 x 75	Yes	Yes	Yes	Yes	Yes
USC-250	15"	5.1	75 x 75	Yes	Yes	Yes	Yes	Yes
USC-M3	11.6"	2	75 x 75	Yes	Yes	Yes	Yes	Yes
USC-M6	15.6"	3	75 x 75	Yes	Yes	Yes	Yes	Yes
UTC-115	15.6"	2.4	100 x 100	Yes	Yes	Yes	Yes	Yes
UTC-120	21.5"	5.29	100 x 100	-	-	Yes	-	Yes
UTC-307	7"	0.95	75 x 75	-	-	-	-	-
UTC-310	10.1"	1.12	75 x 75	Yes	Yes	Yes	Yes	Yes
UTC-315	15.6"	<4	75 x 75	Yes	Yes	Yes	Yes	Yes
UTC-318	18.5"	5	100 x 100	-	-	Yes	-	Yes
UTC-320	21.5"	6.5	100 x 100	-	-	Yes	-	Yes
UTC-510	10.1"	1.8	75 x 75	-	-	-	-	-
UTC-515	15.6"	4.85	100 x 100	Yes	Yes	Yes	Yes	Yes
UTC-520	21.5"	8	100 x 100	-	-	Yes	-	Yes
UTC-532	31.5"	18	100 x 100	-	-	-	-	-
UTC-542	42.5"	24.6	100 x 100	-	-	-	-	-
UTC-723	31.5"	38	200 x 200	-	-	-	-	-
UTK-615AP	15.6"	5	100 x 100	-	-	-	-	-
UTK-615DP	15.6"	5	100 x 100	-	-	-	-	-
UTK-6023	23.8"	38	200 x 200	-	-	-	-	-
UTK-6031	31.5"	40	200 x 200	-	-	-	-	-

Compatible Table



Get the latest version [HERE](#)

Model Name		ARES-24R3G			
Part Number		ARES-24R3G-A741L00			
Photo					
Max. support weight		6 - 12kg			
Max. support panel size		≤ 27"			
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm	100 x 100 mm
FPM-212	12.1"	3.2	75 x 75	-	-
FPM-215	15"	4.6	75 x 75	-	-
FPM-217	17"	5.4	75 x 75	-	-
FPM-219	19"	6.2	75 x 75	-	-
FPM-3121G	12.1"	4.07	75 x 75 100 x 100	-	-
FPM-3151G	15"	7.73	75 x 75 100 x 100	-	-
FPM-3171G	17"	9.25	75 x 75 100 x 100	-	-
FPM-3191G	19"	10.65	75 x 75 100 x 100	-	-
FPM-5151G	15"	6	75 x 75 100 x 100	-	-
FPM-5171G	17"	7	75 x 75 100 x 100	-	-
FPM-5191G	19"	9	75 x 75 100 x 100	-	-
FPM-7151T	15"	4.2	75 x 75 100 x 100	-	-
FPM-7151W	15.6"	4.2	75 x 75 100 x 100	-	-
FPM-715	15"	4.6	75 x 75	-	-
FPM-715W	15.6"	4	75 x 75	-	-
FPM-717	17"	5.4	75 x 75	-	-
FPM-7181W	18.5"	6	100 x 100	-	-
FPM-719	19"	6.2	75 x 75	-	-
FPM-7211W	21.5"	8	100 x 100	-	-
FPM-815S	15"	7.73	100 x 100	-	-
FPM-817S	17"	7.73	100 x 100	-	-
FPM-8151H	15"	8.5	75 x 75 100 x 100	-	-
HIT-507	7"	1.2	75 x 75	-	-
HIT-512	11.6"	1.5	75 x 75	-	-
HIT-W101L	10.1"	1.4	75 x 75	-	-
HIT-W153	15.6"	4.7	75 x 75 100 x 100	-	-
HIT-W183	18.5"	5.94	75 x 75 100 x 100	-	-
IPPC-5211WS	21.5"	15.8	100 x 100	-	-
PAX-121	21.5"	5.5	75 x 75 100 x 100	-	-
PAX-124	23.8"	6.98	75 x 75 100 x 100	Yes	-
PAX-324	24"	7.6	75 x 75 100 x 100	Yes	-
PAX-327	27"	10.36	75 x 75 100 x 100	Yes	-
PAX-332	32"	12.5	75 x 75 100 x 100	-	-
PAX-355	55"	55	600x400	-	-
POC-421	21.5"	6.29	75 x 75 100 x 100	Yes	-
POC-424	23.8"	7.78	75 x 75 100 x 100	Yes	-
POC-615	15.6"	4.89	75 x 75 100 x 100	-	-

Model Name		ARES-24R3G			
Part Number		ARES-24R3G-A741L00			
Photo					
Max. support weight		6 - 12kg			
Max. support panel size		≤ 27"			
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm	100 x 100 mm
POC-621	21.5"	6.29	75 x 75 100 x 100	Yes	-
POC-624	23.8"	7.78	75 x 75 100 x 100	Yes	-
POC-821	21.5"	7	75 x 75 100 x 100	Yes	-
POC-824	23.8"	8	75 x 75 100 x 100	Yes	-
SPC-221	21.5"	9	100 x 100	-	-
SPC-515	15"	10	100 x 100	-	-
SPC-815 (VESA mounting kit: 9653800M020, Optional)	15.6"	8.2	100 x 100	-	-
SPC-821 (VESA mounting kit: 96380 M020, Optional)	21.5"	10.6	100 x 100	-	-
TPC-1251T	12"	3.12	100 x 100	-	-
TPC-1551T	15"	4.4	100 x 100	-	-
TPC-1751T	17"	5.1	100 x 100	-	-
TPC-312 WHL	12.1"	4.1	100 x 100	-	-
TPC-315 WHL	15"	5.8	100 x 100	-	-
TPC-317 WHL	17"	6.1	100 x 100	-	-
TPC-324W WHL	23.8"	9.3	100 x 100	-	-
TPC-312 EHL	12"	4.1	100 x 100	-	-
TPC-315 EHL	15"	5.8	100 x 100	-	-
TPC-324W EHL	23.8"	9.3	100 x 100	-	-
TPC-107W	7"	2	100 x 100	-	-
TPC-110W	10.1"	3.9	100 x 100	-	-
TPC-115W	15.6"	6.9	100 x 100	-	-
USC-130	11.6"	2	75 x 75	-	-
USC-160	15.6"	3	75 x 75	-	-
USC-250	15"	5.1	75 x 75	-	-
USC-M3	11.6"	2	75 x 75	-	-
USC-M6	15.6"	3	75 x 75	-	-
UTC-115	15.6"	2.4	100 x 100	-	-
UTC-120	21.5"	5.29	100 x 100	-	-
UTC-124	23.8"	6.53	100 x 100	Yes	-
UTC-307	7"	0.95	75 x 75	-	-
UTC-310	10.1"	1.12	75 x 75	-	-
UTC-315	15.6"	<4	75 x 75	-	-
UTC-318	18.5"	5	100 x 100	-	-
UTC-320	21.5"	6.5	100 x 100	Yes	-
UTC-510	10.1"	1.8	75 x 75	-	-
UTC-515	15.6"	4.85	100 x 100	-	-
UTC-520	21.5"	8	100 x 100	Yes	-
UTC-532	31.5"	18	100 x 100	-	-
UTC-542	42.5"	24.6	100 x 100	-	-
UTC-723	31.5"	38	200 x 200	-	-
UTK-615AP	15.6"	5	100 x 100	-	-
UTK-615DP	15.6"	5	100 x 100	-	-
UTK-6023	23.8"	38	200 x 200	-	-
UTK-6031	31.5"	40	200 x 200	-	-